# RECOGNIZED BY THE WHOLE WORLD









National High-tech Enterprise

Smart Toilet Standard Drafting Unit China Top 10 Smart Bath Brand excellent product certification









National Quality Outstanding Enterprise China Smart Bath Product Gold Award

Certificate of compliance Member Japan SIAA organization, VIP NO: 2342





FCC Part 15C

Business Social Compliance Initiative



uniform plumbing code



Electrical Testing Laboratories







WaterMark



Restriction of Hazardous Substances for plumbing and drainage products Safety + EMC + Importer Declaration

## IT IS HOT IMMEDIATELY, THE WATER TEMPERATURE IS CONSTANT





Insulation Layer Second waterway

Annular heating ceramic core

Tankless instant heater design, clean, energy-saving, more healthy

Built-in ceramic core heater, using water & electricity separation tech, instant heating, safe and less hidden dangers

LEAD, NEVER FOLLOW

# FRESH WATER , INSTANT HEATING

Fresh Water, instant heating, constant water temp. National patented 6th generation Tankless 3D stereo fresh water instant heating system. water & electricity separation 2 safe and less hidden dangers

instant heating, no need to wait, constant water temp is more comfortable

tankless, leading less bacterial breeding. Fresh warm wash water is more healthy

No need to heat in advance, heating while using is more energy-saving.

Always warm water cleasing, no need to wait, water temperature control accurately Always fresh water and constant temperature, tankless design, no bacterial breeding Always clean and power saving, water and electric separated, security.






Using the Venturi effect, the wash nozzle suck air while Air coming-in diagram, the air is naturally sucked in. Warm water combine with air, bring customers super cleaning, give more active oxygen to fresh water, soft aerated bubble wash experience. the wash water is softer and more delicate.





# SOFT OXYGEN KINETIC ENERGY TECHNOLOGY

## Aerated bubble wash tech




Using the national patent soft oxygen kinetic energy technology, using the Wen's principle, naturally inhaling during the cleaning process, allowing air and water (3:7) to combine, incorporating countless water bubbles into the water column, giving the living water more oxygen, soft water More delicate, super soft bubbles, truly enjoy the smart toilet wash SPA tour.

## TOILET AIR PURIFIER

Double filtration, purify odor, decompose bacteria, and effectively remove odor, leave bathroom with fresh air.

new smart toilets, using advanced"active oxygen deodorization tech" new chemical catalyst added use the auto sterilization deodorant device chemical reactions could be carried out Releasing some oxygen, Create a fresh and natural bathroom environment.





### SAFETY AND ENERGY PROTECTION SYSTEM

## 10 core safety protections



08

### RECOGNIZED BY THE WHOLE WORLD

## RECOGNIZED BY THE WHOLE WORLD

## fully-automatic inducing system

fully-automatic inducing auto open toilets (Radar wave induction), thoroughly free your hands

The new generation of full auto open tech, recognizing your body precisely Auto open/close seat cover, releasing your hands Using international leading tech of worm and dual damp, open and close smooth and stable.









When standing up, the After leaving sensor area, the seat cover auto close.

While getting close to a smart toilet, the seat cover auto open.

After sitting down, the machine starts working ( auto deodorizer, nozzle self-cleaning etc.)



# **ONE SOLUTION**

## One solution, easy and convenient

#### COLORFUL BREATHING LIGHT TECH

One solution match with the breathing light, color change slowly like you are breathing, colorful and beautiful

One solution, easy and convenient

Clockwise: one solution service for lady: front wash + dry+ auto flush Counterclockwise: one solution service for rear: rear wash +dry +auto flush Click once: start flushing Double click: Start water saving flushing





### UV sterilization for nozzles



The nozzle adopts UVC band and deep ultraviolet light with a 275mm wavelength physical sterilization, the sterilization rate is up to 99.99%, double sterilization before and after effluent, which is more cleaner and safer.



AA.

X

E.coli

Salmonella

Staphylococcus aureus

Candida albicans

### Give more protection to health

With medical grade UVCLED sterilization function, #316 stainless steel integrated cleaning nozzle.Before and after rinsing, the annular water stream will thoroughly clean the nozzle; after leaving the seat, the ultraviolet light will effectively kill the bacteria on the nozzle.

# WARM AIR DRYING

350W high-power drying system, ergonomically designed for wind pressure. strong power and strong wind drying effect quick and dry.



#### 316 STAINLESS STEEL NOZZLE

The nozzle is made of 316 stainless steel and added with MO element to improve the corrosion resistance and high temperature strength of the nozzle, to prevent bacterial growth.

### One nozzle, three washing experience

Three different waterways design, giving you different cleaning experience according to your different needs

Rear wash:









Powerful enema wash: Powerful laxative function, cleaning water column concentration, thereby stimulating the sphincter laxative, the water pressure intensity can be adjusted according to your ownexperience during use.

# SUPER SWIRL CAN SILENCE THE RAPID WATER FLUSHING SYSTEM

The new super-swirl processing technology uses Venturi supercharging combined with tankless constant flow technology. The flushing force is strong and powerful, the impulse is stable, and the noise is low. The cylinder is cleaned in all directions, and the flushing effect is good, leaving no dead ends. The whirlpool siphon, the speed of the water, completely washed away without returning. Reduce the extreme flushing noise and disturb the family's sleep. At least IL of water can be saved for each flush.



## FOOT SENSOR FOR FLUSHING



According to the men's toilet habits, designed for men, you can achieve the flushing function by your feet. You don't need a remote control, you don't have to bend over.





### 1002

Dimension:682x380x480mm Rough-in:305/400mm Water Pressure: 0.1 Mpa (dynamic) - 0.75Mpa (static) Rated Voltage:AC220V/AC110V 50Hz/60Hz Color: drawbench silver Flushing Method: Siphon Jet Flushing Heating method: Instant heating

Seat cover material: PP fireproof soft close seat cover water consumption: 4.8L / 1.28 GPF Drainage Pattern: S-trap

#### Special Features

Aerated bubble wash, 316 Stainless Steel Self-cleaning nozzle, UV sterilization tech, Enema SPA wash, foot sensor for flushing, Auto open/close

Core Tech

6th generation Tankless 3D stereo fresh water instant heating tech, aerated bubble wash tech, UV sterilization tech

#### Remote Control



Installation Dimension Diagram

